

## 1 Continuous Joint Densities

The joint probability density function of two random variables  $X$  and  $Y$  is given by  $f(x,y) = Cxy$  for  $0 \leq x \leq 1, 0 \leq y \leq 2$ , and 0 otherwise (for a constant  $C$ ).

(a) Find the constant  $C$  that ensures that  $f(x,y)$  is indeed a probability density function.

(b) Find  $f_X(x)$ , the marginal distribution of  $X$

(c) Find the conditional distribution of  $Y$  given  $X = x$ .

(d) Are  $X$  and  $Y$  independent?

## 2 Lunch Meeting

Alice and Bob agree to try to meet for lunch between 12 PM and 1 PM at their favorite sushi restaurant. Being extremely busy, they are unable to specify their arrival times exactly, and can say only that each of them will arrive (independently) at a time that is uniformly distributed within the hour. In order to avoid wasting precious time, if the other person is not there when they arrive they agree to wait exactly fifteen minutes before leaving. What is the probability that they will actually meet for lunch?

## 3 First Exponential to Die

Let  $X$  and  $Y$  be  $\text{Exponential}(\lambda_1)$  and  $\text{Exponential}(\lambda_2)$  respectively, independent. What is

$$\mathbb{P}(\min(X, Y) = X),$$

the probability that the first of the two to die is  $X$ ?