


1 Degree Sequences

Note 5

The *degree sequence* of a graph is the sequence of the degrees of the vertices, arranged in descending order, with repetitions as needed. For example, the degree sequence of the following graph is $(3, 2, 2, 2, 1)$.



For each of the parts below, determine if there exists a simple undirected graph G (i.e. a graph without self-loops and multiple-edges) having the given degree sequence. Justify your claim.

(a) $(3, 3, 2, 2)$

(b) $(3, 2, 2, 2, 2, 1, 1)$

(c) $(6, 2, 2, 2)$

(d) $(4, 4, 3, 2, 1)$

2 Build-Up Error?

Note 5

What is wrong with the following "proof"? In addition to finding a counterexample, you should explain what is fundamentally wrong with this approach, and why it demonstrates the danger of build-up error.


False Claim: If every vertex in an undirected graph has degree at least 1, then the graph is connected.

Proof? We use induction on the number of vertices $n \geq 1$.

Base case: There is only one graph with a single vertex and it has degree 0. Therefore, the base case is vacuously true, since the if-part is false.

Inductive hypothesis: Assume the claim is true for some $n \geq 1$.


Inductive step: We prove the claim is also true for $n + 1$. Consider an undirected graph on n vertices in which every vertex has degree at least 1. By the inductive hypothesis, this graph is connected. Now add one more vertex x to obtain a graph on $(n + 1)$ vertices, as shown below.



All that remains is to check that there is a path from x to every other vertex z . Since x has degree at least 1, there is an edge from x to some other vertex; call it y . Thus, we can obtain a path from x to z by adjoining the edge $\{x, y\}$ to the path from y to z . This proves the claim for $n + 1$. \square

3 Eulerian Tour and Eulerian Walk

Note 5



- (a) Is there an Eulerian tour in the graph above? If no, give justification. If yes, provide an example.
- (b) Is there an Eulerian walk in the graph above? An Eulerian walk is a walk that uses each edge exactly once. If no, give justification. If yes, provide an example.
- (c) What is the condition that there is an Eulerian walk in an undirected graph? Briefly justify your answer.

4 Coloring Trees

Note 5

(a) Prove that all trees with at least 2 vertices have at least two leaves. Recall that a leaf is defined as a node in a tree with degree exactly 1.

(b) Prove that all trees with at least 2 vertices are *bipartite*: the vertices can be partitioned into two groups so that every edge goes between the two groups.

[*Hint*: Use induction on the number of vertices.]