CS 70 Discrete Mathematics and Probability Theory Spring 2025 Rao DIS 8B


Conditional Probability Intro

Note 14

Conditional Probability: Probability of event *A*, *given* that event *B* has happened;

$$\mathbb{P}[A \mid B] = \frac{\mathbb{P}[A \cap B]}{\mathbb{P}[B]}.$$

Think of like restricting our sample space:




Bayes Rule: A consequence of conditional probability - notice $\mathbb{P}[A \cap B] = \mathbb{P}[A \mid B] \mathbb{P}[B] = \mathbb{P}[B \mid A] \mathbb{P}[A]$, so

$$\mathbb{P}[B \mid A] = \frac{\mathbb{P}[A \cap B]}{\mathbb{P}[A]} = \frac{\mathbb{P}[A \mid B] \, \mathbb{P}[B]}{\mathbb{P}[A]}.$$

Total Probability Rule: If disjoint events A_1, \ldots, A_n form a partition on the sample space Ω , we then have

$$\mathbb{P}[B] = \sum_{i=1}^{n} \mathbb{P}[B \cap A_i] = \sum_{i=1}^{n} \mathbb{P}[B \mid A_i] \, \mathbb{P}[A_i].$$

Visually, we're splitting an event into partitions and looking at each intersection individually:



Independence: Two events are independent if the following (equivalent) conditions are satisfied. The second definition is probably more intuitive - *B* happening does not affect the probability of *A* happening.

$$\mathbb{P}[A \cap B] = \mathbb{P}[A] \, \mathbb{P}[B]$$
$$\mathbb{P}[A \mid B] = \mathbb{P}[A]$$

1 Box of Marbles

Note	1/	

You are given two boxes: one of them containing 900 red marbles and 100 blue marbles, the other one contains 500 red marbles and 500 blue marbles.

(a) If we pick one of the boxes randomly, and pick a marble what is the probability that it is blue?

(b) If we see that the marble is blue, what is the probability that it is chosen from box 1?

(c) Suppose we pick one marble from box 1 and without looking at its color we put it aside. Then we pick another marble from box 1. What is the probability that the second marble is blue?

CS 70, Spring 2025, DIS 8B

2 Duelling Meteorologists

Note 14

Tom is a meteorologist in New York. On days when it snows, Tom correctly predicts the snow 70% of the time. When it doesn't snow, he correctly predicts no snow 95% of the time. In New York, it snows on 10% of all days.

(a) If Tom says that it is going to snow, what is the probability it will actually snow?

(b) Let A be the event that, on a given day, Tom predicts the weather correctly. What is $\mathbb{P}[A]$?

(c) Tom's friend Jerry is a meteorologist in Alaska. Jerry claims that she is a better meteorologist than Tom even though her overall accuracy is lower. After looking at their records, you determine that Jerry is indeed better than Tom at predicting snow on snowy days and sun on sunny day. Give an instance of the situation described above. This situation is actually an example of the famous Simpson's paradox! *Hint: what is the weather like in Alaska, as compared to in New York?*

CS 70, Spring 2025, DIS 8B 3

3 Pairwise Independence

Note 14

Recall that the events A_1 , A_2 , and A_3 are *pairwise independent* if for all $i \neq j$, A_i is independent of A_j . However, pairwise independence is a weaker statement than *mutual independence*, which requires the additional condition that $\mathbb{P}[A_1 \cap A_2 \cap A_3] = \mathbb{P}[A_1] \mathbb{P}[A_2] \mathbb{P}[A_3]$.

Suppose you roll two fair six-sided dice. Let A_1 be the event that the first die lands on 1, let A_2 be the event that the second die lands on 6, and let A_3 be the event that the two dice sum to 7.

(a) Compute $\mathbb{P}[A_1]$, $\mathbb{P}[A_2]$, and $\mathbb{P}[A_3]$.

- (b) Are A_1 and A_2 independent?
- (c) Are A_2 and A_3 independent?

(d) Are A_1 , A_2 , and A_3 pairwise independent?

(e) Are A_1 , A_2 , and A_3 mutually independent?