

## Q1 FSEs and Balance Equations

2 Points

Q1.1 (Optional, will be covered in Thursday 4/30 lecture)

0 Points

Recall that a system of balance equations  $\pi = \pi P$  are used to solve for the invariant distribution of a Markov chain.

Conceptually, how are these equations derived?

- The equation for  $\pi(i)$  is derived by using the **law of total probability** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\pi(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\pi(i)$  is derived by using the **law of total probability** and looking at all possible transitions **into** each state  $i$ .
- The equation for  $\pi(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **into** each state  $i$ .

### Explanation

The balance equations assert that if we started with some distribution of states  $\pi$ , moving one timestep into the future will not change the distribution. As such, to find the probability of being in state  $i$  at any given timestep, we'd need to look at all possible ways of *arriving* at state  $i$ , and add these probabilities together using the law of total probability.

## Q1.2

1 Point

Recall the first step equations for computing the probability of reaching a state  $A$  before reaching a state  $B$ ; we define  $\alpha(i)$  to be the probability of reaching  $A$  before  $B$  given that we are currently in state  $i$ .

Conceptually, how are these equations derived?

- The equation for  $\alpha(i)$  is derived by using the **law of total probability** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\alpha(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\alpha(i)$  is derived by using the **law of total probability** and looking at all possible transitions **into** each state  $i$ .
- The equation for  $\alpha(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **into** each state  $i$ .

### Explanation

Here, we want to find the probability of reaching  $A$  before  $B$ , given that we're at state  $i$ ; to do so, we look at all possible steps *leaving* state  $i$ , and use the law of total probability to recursively compute the probabilities of reaching  $A$  before  $B$  when starting at these future states.

### Q1.3

1 Point

Recall the first step equations for computing the expected number of steps before reaching a state  $A$ ; we define  $\beta(i)$  to be the expected number of steps to reach state  $A$  given that we are currently in state  $i$ .

Conceptually, how are these equations derived?

- The equation for  $\beta(i)$  is derived by using the **law of total probability** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\beta(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **out of** each state  $i$ .
- The equation for  $\beta(i)$  is derived by using the **law of total probability** and looking at all possible transitions **into** each state  $i$ .
- The equation for  $\beta(i)$  is derived by using the **law of total expectation** and looking at all possible transitions **into** each state  $i$ .


#### Explanation

Here, we want to find the expected hitting time for state  $A$ , given that we're at state  $i$ ; to do so, we look at all possible steps *leaving* state  $i$ , and use the law of total expectation to recursively compute the expected number of steps to reach state  $A$  when starting at these future states.

Q2 Markov chain example

2 Points

Consider the following Markov chain:



Q2.1

1 Point

Starting at 1, what is the probability of reaching state 4 before reaching state 3?

- 0
- $\frac{1}{2}$
- $\frac{1}{3}$
- $\frac{1}{4}$
- 1

**Explanation**

Notice that state 1 always goes to state 2. So the problem is equivalent to analyzing the probability starting at 2. Since 3 and 4 are of equal probability as the outgoing edges of 2, the desired probability is just  $1/2$ .

Q2.2

1 Point

What is the average number of steps to reach state 1 starting at state 4?

- 2
- 3
- 3.5
- 4
- 5

**Explanation**

We have the following first-step equations:

$$\beta(1) = 0$$

$$\beta(2) = 1 + \frac{1}{2}\beta(3) + \frac{1}{2}\beta(4)$$

$$\beta(3) = 1 + \beta(1)$$

$$\beta(4) = 1 + \beta(2)$$

Solving above gives  $\beta(4) = 5$ .